

Nr.	Größe	Rectaseension 1850-0	Declination 1850-0	Zone	Nr.
3515	7	4 <sup>h</sup> 50 <sup>m</sup> 5 <sup>s</sup> .01	—23° 52' 30".8	332	144
3516	7	50 8.73	23 31 46.0	332	143
3517	9	50 12.26	20 42 39.7	272	22
3518	9	50 23.52	21 34 45.3	337	47
3519	9	50 23.72	23 53 0.7	332	143
3520	9	50 27.60	21 34 23.1	337	46
3521	8.9	50 34.71	22 16 33.4	337	49
3522	9	50 36.42	18 46 51.9	272	23
3523	9.0	50 38.33	16 5 55.7	347	62
3524	9	50 39.47	16 26 27.0	355	104
3525	9	50 49.29	16 14 6.1	347	63
3526	9	50 50.22	21 32 2.5	337	48
3527	9	50 50.68	26 54 42.0	323	17
3528	8	50 52.91	23 16 37.6	332	146
3529	9	50 59.98	28 14 6.6	350	68
3530	9.0	51 0.25	17 32 21.8	329	119
3531	7.8	51 19.28	16 25 11.1	355	103
3532	7.8	51 19.37	16 25 10.1	347	64
3533	6	51 27.86	17 0 54.4	329	120
3534	9	51 34.79	20 25 8.9	272	24
3535	9	51 35.24	29 23 46.8	351	64
3536	9	51 37.78	16 56 15.9	329	121
3537	7	51 41.43	22 15 12.0	337	50
3538	9	51 41.68	28 22 22.3	350	69
3539	8	51 41.79	23 2 16.7	332	147
3540	8.9	51 43.44	16 26 25.9	355	105
3541	8	51 43.57	16 26 25.5	347	65
3542	8.9	52 6.70	26 36 31.6	323	18
3543	9	52 13.41	28 16 4.3	350	70
3544	9	52 15.48	19 4 32.6	272	25
3545	9	52 15.68	26 11 8.7	323	19
3546	6	52 18.46	16 36 46.5	355	106
3547	5.6	52 18.68	16 36 48.1	329	122
3548	6.7	52 18.97	16 36 45.0	347	66
3549	9	52 29.39	31 11 31.0	351	66
3550	9	52 32.73	30 38 56.2	351	65
3551	9.0	52 35.72	22 23 59.5	337	51
3552	9	52 37.88	22 52 27.7	337	52
3553	8	52 38.02	22 52 35.6	332	148
3554	9	52 39.92	28 13 47.6	350	72
3555	9	52 41.31	28 17 59.0	350	71
3556	9	53 7.80	28 15 27.0	350	73
3557	8	53 10.42	18 53 6.3	272	27
3558	8	53 15.13	16 1 35.7	355	109
3559	8	53 16.03	22 37 28.1	337	53
3560	9	53 20.06	19 3 6.3	272	28
3561	9	53 20.45	19 3 8.0	272	26
3562	9.0	53 23.88	16 33 4.7	355	107
3563	9	53 24.05	16 57 42.5	329	123
3564	8	53 26.74	25 35 52.7	323	21
3565	8	53 27.81	16 7 52.7	355	110
3566	8	53 27.90	16 7 51.0	347	68
3567	9	53 35.31	26 5 41.2	323	20
3568	8	53 38.83	16 19 21.1	355	108
3569	8	53 38.91	16 19 18.2	347	67