

Tabelle I.

Kupferdrähte.
Dicke = 0.18 cm.Eisendrähte.
Dicke = 0.18 cm.

α	β	reducirt α	α	β	reducirt α
13.1	11.2	16.4	9.2	9.6	13.4
12.4	10.8	16.1	11.4	12.0	13.3
13.5	11.9	15.9	10.8	12.0	12.6
19.7	16.9	16.3	15.9	16.6	13.5
19.5	16.2	16.8	16.9	17.3	13.8
19.7	15.9	17.4	14.1	12.8	15.3
Mittel		16.5	Mittel.....		13.6

Tabelle II.

Kupferdrähte.
Dicke = 0.023 cm.Eisendrähte.
Dicke = 0.020 cm.

α	β	reducirt α	α	β	reducirt α
9.0	10.4	12.1	4.0	10.0	5.6
9.5	11.6	11.5	4.8	11.0	6.0
8.0	10.2	11.0	5.1	11.7	6.2
13.6	16.5	11.5	7.7	15.9	6.7
13.7	16.1	11.9	7.7	16.3	6.6
12.3	14.0	12.3	7.1	15.1	6.6
Mittel		11.7	Mittel.....		6.3

Tabelle III.

Patentnickeldrähte.
Dicke = 0.015 cm.Eisendrähte.
Dicke = 0.020 cm.

α	β	reducirt α	α	β	reducirt α
11.1	15.8	9.8	7.7	15.9	6.7
11.3	16.3	9.7	7.7	16.3	6.6
11.2	15.5	10.1	7.1	15.1	6.6
Mittel		9.9	Mittel.....		6.6